











# ACCESSORIES CATALOGUE





INDEX

	CONNECTIONS	08
	TWO-WAY BRANCHES	10
	HOSES	12
	HOSE TO TOOL ACCESSORIES	16 • 22
	CONNECTIONS AND EXTENSIONS	20
	COLOR-CODED ACCESSORIES	26
	FLOOR CLEANING	30
	ACCESSORIES KIT	33

ICONS



Overhead cleaning



Floor cleaning



Equipment cleaning



Bulk suction



Dust and solids



Dust, solids  
and liquids



Oil and swarf



Antistatic



Food  
industry



High-temp  
residuals

CERTIFIED



# APPLICATIONS



## FLOOR CLEANING

- Easy removal of residues from the floor
- Efficiency and safety in the production environment



## EQUIPMENT CLEANING


- Maintenance of production machinery
- Reduction of machinery downtime





## OVERHEAD CLEANING

- Cleaning corners and hard-to-reach areas
- Efficiency and safety for operators




## BULK SUCTION

- Vacuuming of large quantities of accumulated material
- Fast and efficient vacuuming



# APPLICATIONS







**CLEANING OF PHARMA EQUIPMENT**




**OVEN CLEANING**



**VACUUMING OF HEAVY MATERIAL**

# CONNECTION DIAGRAM






ACCESSORIES (Connect to hose cuff)




CONNECTIONS -EXTENSIONS-ACCESSORIES




BRUSH/SQUEEGEE



CONNECTIONS -ACCESSORIES





# CONNECTIONS

Connections are tools for connecting the vacuum cleaner to the inlet cuff. They are used for reducing the diameter of the vacuum cleaner to the diameter of the accessories to be connected.





## FLEXIBLE HOSE - VACUUM CLEANER CONNECTIONS

Connection between industrial vacuum cleaner and hose.

Code	Vacuum mm.	Flexible hose mm.	Material	Notes	Vacuum cleaner
SL.1382.0020	50	40	Steel	Plugs directly into vacuum cleaner	202DS, 501, DBF, DBFV, PHARMA 20.18
SL.1218.0011	50	50	Stainless steel		
SL.1218.0020	50	50	Steel		



## HOSE CONNECTION - VACUUM CLEANER

Connection between industrial vacuum cleaner and flexible hose, useful for reducing the diameter of the vacuum cleaner's outlet to the diameter of the accessories to be connected.

Code	Vacuum mm.	Flexible hose mm.	Material	Notes	Vacuum cleaner
SL.0157.0020	80	40	Steel	Plugs directly into vacuum cleaner	802WD, DM40, 452, 4533, 4534, 4535, ZFR, DM3, DG EXP, DG75, XTRACTOR
SL.0158.0020	80	50			
SL.0159.0020	80	60			
SL.0180.0020	80	70			
SL.2005.0020	80	76			
SL.0160.0020	80	80			
SL.0158.0011	80	50	Stainless steel		
SL.0180.0010	80	70			
TA.0414.0000	120	70	Steel	Connects with safety clamps	DG200, DG300, DGV
TA.0415.0000	120	80			
TA.0413.0000	120	100			
TA.0412.0000	120	120			



## HOSE CONNECTION WITH FLOW REGULATOR

The hose connection has holes in the coupling permitting adjustment of the air flow.

Code	Vacuum mm.	Tubo flex mm.	Material	Vacuum cleaner
TA.0333.0000	50	50	Steel	202DS, 501, PHARMA, DBF, DBFV
TA.0499.0000	80	50	Steel	802WD, DM40, 452, 4533, 4534, 4535, ZFR, DM3, DG EXP, DG75, XTRACTOR



## FLANGED IRON CONNECTION

Connection between industrial vacuum cleaner and hose.

Code	Vacuum mm.	Tubo flex mm.	Material	Vacuum cleaner
SL.04713.0200	100	80	Steel	ZFR EV 420
SL.04712.0200	100	100		
SL.2635.0200	150	100		ZFR EV, ZFR EV AP
SL.2639.0200	150	120		
SL.2607.0200	150	150		
SL.2632.0200	200	200		



# 2 AND 3 - WAY BRANCHES

They allow simultaneous vacuuming in two or three different places; making the most efficiency of your cleaning operations





## 2-WAY BRANCHES TO CONNECT TWO HOSES TO THE VACUUM

2-way branches between industrial vacuum cleaner and two hoses for simultaneous suction at two points.

Code	Vacuum mm.	Flexible hose mm.	Material	Notes	Vacuum cleaner
SL.0207.0020	50	40-40	Steel	Plugs directly into a vacuum cleaner	202DS, 501, DBF, DBFV. PHARMA 20.18
SL.0206.0020	50	50-50			
SL.0030.0020	80	40-40			
SL.0029.0020	80	50-50			802WD, DM40, 452, 4533, 4534, 4535, ZFR, DM3, DG EXP, DG75, XTRACTOR
SL.0028.0200	80	60-60			
SL.0115.0020	80	70-70			
SL.0109.0020	80	80-80			
SL.0030.0011	80	40-40	Stainless steel		
SL.0029.0011	80	50-50			
SL.2932.0200	150	70-70	Steel	Flanged	ZFR EV, ZFR EV AP
SL.2683.0200	150	80-80			
SL.2608.0200	150	100-100			
TA.0422.0000	120	70-70	Steel	Connects with two safety clamps	DG200, DG300, DGV L
TA.0423.0000	120	80-80			
TA.0424.0000	120	100-100			



## SMOOTH 2-WAY HOSE BRANCHES

2-way branch allowing two hoses to be connected from a single hose coming from the vacuum cleaner.

Code	Flexible hose mm.	Material
SL.0050.0200	50-50-50	Steel
SL.0049.0200	60-40-40	
SL.0048.0200	60-50-50	
SL.0110.0200	100-50-50	
SL.0111.0200	100-60-60	
SL.0112.0200	100-80-80	



## 3-WAY BRANCHES FOR CONNECTING THREE HOSES SIMULTANEOUSLY

3-way branches between industrial vacuum cleaner and three hoses for simultaneous suction at three points










































































Code	Vacuum mm.	Flexible hose mm.	Material	Vacuum cleaner
SL.0175.0020	80	40-40-40	Steel	802WD, DM40, 452, 4533, 4534, 4535, ZFR, DM3, DG EXP, DG75, XTRACTOR
SL.0133.0000	80	50-50-50		

A person wearing a blue protective suit and hairnet is crouching down, using a black vacuum hose to clean a large, silver, cylindrical industrial machine. The machine has a control panel with red and yellow buttons and a warning label that says "Do not remove sources of ignition". The vacuum cleaner is a large, silver, cylindrical unit on wheels, with a black hose attached. The background is a plain white wall with a light switch.

# HOSES

The choice of hose is almost as important as the choice of vacuum cleaner. Each hose has properties that make it suitable for specific applications.






	Hose	Flexibility	Resistance	Weight	Temperature	Use	⚡
	EVAFLEX	  	  	  	-30° +60°C	General cleaning	
	EVAFLEX ANT	  	  	  	-20° +60°C	General cleaning of conductive materials	●
	SUPERFLEX	   	   	  	-25° +85°C	Cleaning in food and pharma industries, recommended for conductive materials	●
	POLYURETHANE	   	   	  	-40° +90°C	Heavy duty vacuuming of oils, swarf and emulsions	
	OIL PROOF	 	   	  	-40° +100°C	Vacuuming of abrasive materials, oils, swarf and emulsions	
	AUTOCLAVABLE	 	  	  	-60° +200°	Cleaning in pharmaceutical, food and cleanroom industries	
	STEEL HOSE		    	  	-40 +250°C	Vacuuming of abrasive and high heat materials	



### EVAFLEX • GENERAL CLEANING HOSE

Flexible corrugated Evaflex hose suitable for general cleaning.




Code	Length mt	ø	Bending Radius mm	Weight g/mt	Hose cuffs- Item Code	Ideal for
TA.0716.0000	3	40	80	365	Cuffs included	  General cleaning
TA.0008.0000	3	50-40	80	365		
TA.0717.0000	5	50-40	80	365		
TA.0718.0000	10	50-40	80	365		
TA.0009.0000	3	50	120	510		
TA.0728.0000	5	50	120	510		
TA.0729.0000	10	50	120	510	Hose cuffs not included	SL.0008.0000 SL.0014.0000
TA.0755.0000	30	40	80	365		
TA.0759.0000	30	50	120	510		



### EVAFLEX ANT • GENERAL CLEANING ANTISTATIC HOSE

Antistatic corrugated Evaflex hose for suction of conductive materials.



Code	Length mt	ø	Bending Radius mm	Weight g/mt	Hose cuffs- Item Code	Ideal for
TA.0409.0000	3	50-40	80	355	Cuffs included	  General cleaning of dust and conductive solids  Ideal for ATEX vacuum cleaners
TA.0720.0000	5	50-40	80	355		
TA.0721.0000	10	50-40	80	355		
TA.0719.0000	3	40	80	355		
TA.0410.0000	3	50	120	464		
TA.0730.0000	5	50	120	464		
TA.0731.0000	10	50	120	464	Hose cuffs not included	
TA.0756.0000	30	40	80	355		
TA.0760.0000	30	50	80	464		






## SUPERFLEX ANT • ANTISTATIC HOSE FOR FOOD INDUSTRY

Food grade certified antistatic hose with PVC spiral and copper wire for suction of conductive materials.



≤ 2 (23°)  
OHM/m

(Also available in diameters 60, 80, 100, 120, 130)




Code	Length mt	ø	Bending Radius mm	Weight g/mt	Hose cuffs- Item Code	Ideal for
TA.0525.0000	3	40	31	280	Cuffs included	  General cleaning of dust and conductive solids  Ideal for ATEX vacuum cleaners  
TA.0068.0000	3	50-40	31	280		
TA.0726.0000	5	50-40	31	280		
TA.0727.0000	10	50-40	31	280		
TA.0069.0000	3	50	45	470		
TA.0735.0000	5	50	45	470		
TA.0736.0000	10	50	45	470		
TA.0106.0000	3	70	60	660	Hose cuffs not included	SL.0011.0000 SL.0016.0000 SL.0003.0000
TA.0744.0000	5	70	60	660		
TA.0745.0000	10	70	60	660		
TA.0758.0000	20	40	31	280		
TA.0762.0000	20	50	45	470		
TA.0764.0000	20	70	60	660		



## POLYURETHANE • REINFORCED HOSE FOR ABRASIVE MATERIALS

Reinforced flexible polyurethane hose for vacuuming of liquids and abrasive materials, also suitable for oil and swarf.

(Also available in diameters 60, 80, 100, 120)


Code	Length mt	ø	Bending Radius mm	Weight g/mt	Hose cuffs- Item Code	Ideal for
TA.0048.0000	3	50-40	29	520	With cuffs	   Suction of oils and particularly abrasive materials  Suitable for use with oils, emulsions and swarf
TA.0723.0000	5	50-40	29	520		
TA.0724.0000	10	50-40	29	520		
TA.0722.0000	3	40	29	520		
TA.0049.0000	3	50	35	660		
TA.0733.0000	5	50	35	660		
TA.0734.0000	10	50	35	660		
TA.0077.0000	3	70	62	980	Hose cuffs not included	SL.6273.0000 SL.0015.0000 SL.0003.0000
TA.0742.0000	5	70	62	980		
TA.0743.0000	10	70	62	980		
TA.0757.0000	20	40	29	520		
TA.0761.0000	20	50	35	660		
TA.0763.0000	20	70	62	980		






### OIL PROOF • HOSE FOR OIL AND SWarf VACUUMING

2.5 mm thick flexible chloroprene rubber hose with steel spiral. Suitable for vacuuming of chips mixed with oil, thanks to its particular resistance to abrasion.


Code	Length mt	ø	Bending Radius mm	Weight g/mt	Main features	Ideal for
TA.0112.0000	4	50	210	1070	No cuffs or clamps needed	Vacuuming of oil, emulsions and swarf 



### AUTOCLAVABLE

FDA approved and sterilisable (up to 200°) hose.




Code	Length mm	ø	Bending Radius mm	Weight g/mt	Ideal for
TA.0533.0000	2,5	40	110	1100	Pharmaceutical, food, cleanroom industries 



### FLEX STEEL • STEEL HOSE FOR HOT AND ABRASIVE MATERIALS

Steel flex hose with welded connections, recommended for vacuuming of very hot and/or abrasive materials.

Code	Length mt	ø	Bending Radius mm	Weight g/m	Main features	Ideal for
TA.0746.0000	4	50	290	400	Ø 50/With Ø80/50 reduction and Ø50 inlet	Vacuuming of abrasive materials up to +250° 
TA.0747.0000	8	50	290	800		


A worker wearing a yellow safety vest and yellow gloves is operating a Delfin industrial vacuum system. The worker is holding a blue and yellow corrugated hose that is connected to a large grey vacuum unit. The unit has a control panel with three green buttons and a pressure gauge. The background shows a white industrial structure with a black circle containing the number '2'.

# HOSE TO TOOL ACCESSORIES

Delfin offers a wide range of hose to tool accessories in different shapes, sizes and materials for all vacuuming needs.



# ACCESSORIES CONFIGURATIONS:





### RECTANGULAR BRUSH

Rectangular brush with bristles and curved handle for cleaning flat surfaces.



Code	ø mm	Material	Material to be vacuumed	Ideal for
TA.0052.0000	50	Aluminium/Nylon		Cleaning horizontal and vertical surfaces
TA.0055.0000	70			
TA.0495.0000	40	Aluminium/Nylon		Cleaning equipment
TA.0493.0000	50			



### ROUND BRUSH

Round brush with bristles and curved handle for cleaning flat surfaces, on the ground or overhead. Also suitable for cleaning objects such as 3D printed products.



Code	ø mm	Material	Material to be vacuumed	Ideal for
TA.0239.0000	40	Aluminium/Nylon		Cleaning horizontal and vertical surfaces
TA.0209.0000	50			
TA.0494.0000	40	Aluminium/Nylon		Cleaning equipment
TA.0492.0000	50			



### FLAT NOZZLE

Precision accessory for localised collection of liquids and powders. Durable aluminium construction, two lengths available.



Code	ø mm	Length	Material	Material to be vacuumed	Ideal for
TA.0023.0000	50	500mm	Aluminium		Cleaning horizontal and vertical surfaces
TA.0018.0000	70				
TA.0154.0000	50	1000mm	Aluminium		Cleaning equipment
TA.0019.0000	70				



### CUT-END NOZZLE

Precision accessory for reaching even the most difficult places. The diagonal cut of the end ensures better vacuuming, especially in the presence of liquids.



Code	ø mm	Length	Material	Material to be vacuumed	Ideal for
SL.0172.0000	40	500mm	Aluminium		Vacuuming of accumulated material with low granulometry
TA.0020.0000	50				
TA.1037.0010	40	400mm	Stainless steel		Cleaning equipment
TA.1038.0010	50				





### ROUND NOZZLE

Round nozzle with a large inlet diameter for vacuuming heavy and particularly large-grained materials. Available with handgrip for easy handling.



Code	ø mm	Length		Material	Material to be vacuumed	Ideal for
TA.0025.0080	50	500mm	With Handgrip	Aluminium		Vacuuming of heavy accumulated material
TA.0026.0080	60					
TA.0938.0080	70					
TA.0123.0080	100					



### CURVED HANDGRIP

Curved extension with user-friendly handgrip. Suitable for accumulated material.



Code	ø mm	Length	Material	Material to be vacuumed	Ideal for
TA.0013.7016	50	1200mm	Aluminium		Vacuuming of heavy accumulated material such as rocks and concrete
SL.0041.7016	70				
SL.0062.7016	100				



### PROBE PIPE WITH AIR FLUIDIFICATION

Air fluidisation system, useful for direct immersion in piles to be vacuumed.



Code	ø mm	Length	Material	Material to be vacuumed	Ideal for
TA.0964.7016	70	1300mm	Aluminium		Vacuuming of heavy solid and liquid material, even with total direct immersion into piles
TA.0870.7016	80				
TA.0871.7016	100				



### SCRAPING NOZZLE


Steel accessory, particularly suitable for scraping and vacuuming all solid, liquid and sticky materials. Practical handle for comfortable and convenient use.




Code	ø mm	Length		Material	Material to be vacuumed	Ideal for
SL.0173.7016	40	1200mm	With wheelse	Aluminium		Vacuuming of piles of heavy solid and liquid materials
SL.0140.7016	50					
TA.0884.7016	70					
TA.0873.7016	80	1200mm	With wheelse	Aluminium		Cleaning equipment
TA.0874.7016	100					

# CONNECTIONS, EXTENSIONS

Connections and extensions may be combined and connected to a hose to reach even the most difficult and distant spots; such as walls, ceilings and pipelines. Allows complete cleaning of the entire workplace.



# ACCESSORIES CONFIGURATIONS:



## HOSE-EXTENSION CONNECTION

Connection between extension and hose. Connection with hole on the extension side for simple and effective closure.

Code	ø mm	Material	Notes
TA.0671.0080	40	Aluminium	1 connection hole
TA.0682.0080	50	Aluminium	



## EXTENSION

Quick-connect extensions. They can be connected together to reach the desired distances.

Code	ø mm	Length	Material	Notes
TA.0668.0080	40	1 mt	Aluminium	2 push pin connections
TA.0679.0080	50	1 mt	Aluminium	



## EXTENSION-ACCESSORY CONNECTION

Straight connection between extension and vacuum. Curved connection ideal for reaching the most difficult places.


Code	ø mm	Material	Notes
TA.0670.0080	40	Aluminium	Straight, 1 smooth side, 1 with spring
TA.0681.0080	50	Aluminium	
TA.0669.0080	40	Aluminium	Curved 90°, 1 smooth side, 1 with spring
TA.0680.0080	50	Aluminium	






# HOSE TO TOOL ACCESSORIES

# ACCESSORIES CONFIGURATIONS:





## CONNECTIONS

Connections are necessary to connect hose to tool accessories.

Code	ø mm	Material	Notes
SL.0174.0000	40	Aluminium	Straight connection
SL.0024.0000	50		
SL.0025.0000	60		
SL.0096.0000	70		
SL.0064.0000	80		
SL.0113.0000	100		
SL.0174.0011	40	Stainless steel	Curved
SL.0024.0011	50	Stainless steel	
SL.0026.0020	50	Aluminium	



## CONE NOZZLE

Precision accessory featuring diagonal cut-end to let air in for smooth vacuuming. The silicon version is suitable for the food and pharmaceutical industries in combination with a stainless steel connection.



Code	ø mm	Material	Material to be vacuumed	Ideal for
SL.0181.0000	40	Rubber		Vacuuming of accumulated material with low granulometry
SL.0022.0000	50			
SL.0122.0000	70			
SL.1787.0000	40	Silicone		Cleaning equipment
SL.1693.0000	50			Cleaning finished product



## SCRAPING NOZZLE

Accessory for scraping the bottoms of tanks or surfaces to be cleaned, even in the case of particularly sticky residues.

The silicone version is suitable for the food and pharmaceutical industries in combination with a stainless steel connection.



Code	ø mm	Material	Material to be vacuumed	Ideal for
TA.0342.0000	40	Rubber		Vacuuming of sticky material
TA.0129.0000	50			
TA.0336.0000	40			
TA.0459.0000	50	Silicone		Cleaning items






### CONICAL ADJUSTABLE NOZZLE

Adjustable precision accessory for cleaning small parts and tight corners. The silicone version is suitable for the food and pharmaceutical industries and can be supplied with a stainless steel connection.



Code	ø mm	Material		Material to be vacuumed	Ideal for
SL.0992.0000	50/20	Rubber	Curved		Cleaning equipment
SL.1791.0000	50/20	Silicone	Curved		Cleaning items



### ANTISTATIC RECTANGULAR BRUSH

Antistatic rectangular brush with nylon and copper bristles.



Code	ø mm	Dimensions	Material to be vacuumed	Ideal for
TA.0774.0000	40	300*90mm		Cleaning equipment
TA.0773.0000	50			Cleaning items
				Cleaning surfaces



### ROUND PRECISION BRUSH

Curved brush with bristles ideal for overhead cleaning of pipes, beams and boards.




Code	ø mm	Radius	Material to be vacuumed	Ideal for
TA.0382.0000 with connector	40	100mm		Cleaning piping
SL.1349.0000	50			Overhead cleaning
SL.1132.0000	50	200mm		



# COLOR-CODED ACCESSORIES

Simplify processes used to prevent cross contamination between departments in food + pharmaceutical facilities.

# ACCESSORIES CONFIGURATIONS:




















### ROUND BRUSH

FDA certified round brush for cleaning flat or overhead surfaces. Suitable for the pharmaceutical and food industries.



Code	Colour	Dimensions	Material	ø mm	Material to be vacuumed	Ideal for		
TA.0704.0000		190*90mm	NBR/Nylon	40	  	Cleaning equipment Cleaning items Cleaning surfaces		
TA.0705.0000								
TA.0706.0000								
TA.0707.0000								
TA.0708.0000								
TA.0689.0000		190*90mm	NBR/Nylon	50				
TA.0699.0000								
TA.0691.0000								
TA.0692.0000								
TA.0693.0000								



### RECTANGULAR BRUSH

FDA certified, autoclavable rectangular brush for cleaning flat, ground or overhead surfaces in the pharmaceutical and food industries.



Code	Colour	Dimensions	Material	ø mm	Material to be vacuumed	Ideal for
TA.0699.0000	<div></div>	160*90mm	NBR/Nylon	40	<div><div></div><div></div><div></div></div>	Cleaning equipment Cleaning items Cleaning surfaces
TA.0700.0000	<div></div>					
TA.0701.0000	<div></div>					
TA.0702.0000	<div></div>					
TA.0703.0000	<div></div>					
TA.0684.0000	<div></div>	160*90mm	NBR/Nylon	50		
TA.0685.0000	<div></div>					
TA.0686.0000	<div></div>					
TA.0687.0000	<div></div>					
TA.0688.0000	<div></div>					



### CONE NOZZLE

FDA certified cross-cut end. Suitable for pharmaceutical and food industries.



Code	Colour	Dimensions	Material	ø mm	Material to be vacuumed	Ideal for
SL.3676.0000	●	1950*480mm	NBR	40		Object cleaning Cleaning equipment Cleaning surfaces Vacuuming from containers and tanks
SL.3677.0000	●					
SL.3678.0000	●					
SL.3679.0000	○					
SL.3680.0000	●					
SL.3681.0000	●	1950*600mm	NBR	50		Object cleaning Cleaning equipment Cleaning surfaces Vacuuming from containers and tanks
SL.3682.0000	●					
SL.3683.0000	●					
SL.3684.0000	○					
SL.3685.0000	●					



### SCRAPING NOZZLE

FDA certified hose to tool accessories with wide, toothed surface for easy scrubbing. Suitable for pharmaceutical and food industries.



Code	Colour	Dimensions	Material	ø mm	Material to be vacuumed	Ideal for
TA.0795.0000	●	180*115 mm	NBR	40		Cleaning equipment Cleaning surfaces Vacuuming from containers and tanks
TA.0796.0000	●					
TA.0797.0000	●					
TA.0798.0000	○					
TA.0799.0000	●					
TA.0800.0000	●	180*115 mm	NBR	50		Cleaning equipment Cleaning surfaces Vacuuming from containers and tanks
TA.0801.0000	●					
TA.0802.0000	●					
TA.0803.0000	○					
TA.0804.0000	●					


A person wearing a full-body white protective suit, a hood, and a respirator mask is using a long, flexible, double-bend vacuum hose to clean a floor. The hose is connected to a large industrial vacuum unit on the left. The person is standing in a large, open industrial space with a concrete floor and a white brick wall in the background. The vacuum unit has the brand name 'delfin' visible on it.

# FLOOR CLEANING

Double bend and brush are the perfect tools for cleaning the floor.  
The ergonomic shape of the double bend together with a brush or squeegee  
guarantee perfect vacuuming.



# ACCESSORIES CONFIGURATIONS:






### DOUBLE BEND

Ergonomic floor cleaning handle with convenient connection for floor brush or squeegee.





Code	ø mm	Dimensions	Material	Material to be vacuumed	Ideal for
SL.0212.7016	40	1320mm	Aluminium		Floor cleaning General floor cleaning of dust and liquids with brush or squeegee
SL.0170.7016	50				
SL.0171.7016	70				
TA.0225.0000	40	1320mm	Stainless steel		
SL.0170.0011	50				



### FLOOR BRUSH FOR DRY, DUST AND SOLIDS

Ideal brush for floor cleaning. Equipped with 2 bristle strips. Two adjustable wheels make it easy to move around.





Code	ø mm	Width mm	Material	Material to be vacuumed	Ideal for
TA.0438.0000	40	430mm	Aluminium		Floor cleaning Vacuuming of dry, dust and solids
TA.0141.0000	50	430mm			
TA.0143.0000	70	430mm			
TA.0144.0000	50	550mm			
TA.0146.0000	70	550mm	Stainless steel		
TA.0227.0000	40	430mm			
TA.0142.0000	50	430mm			



### FLOOR SQUEEGEE FOR LIQUIDS

For floor squeegee equipped with 2 rubber strips for vacuuming up liquids. Two adjustable wheels make it easy to move around.



Code	ø mm	Width mm	Material	Material to be vacuumed	Ideal for
TA.0440.0000	40	430mm	Aluminium		Cleaning floors Easy vacuuming of liquids
TA.0132.0000	50	430mm			
TA.0134.0000	70	430mm			
TA.0135.0000	50	550mm			
TA.0136.0000	70	550mm	Stainless steel		
TA.0323.0000	40	430mm			
TA.0133.0000	50	430mm			

A worker wearing a yellow safety vest, safety glasses, and yellow gloves is using a Delfin vacuum cleaner to clean a machine chip tray. The vacuum cleaner is connected to a large grey container. The background shows a white machine with a warning sign and a label that reads "Späne ÖLHALTIG".

# ACCESSORY KITS

The Accessory Kits include all the components you need to start working quickly and easily with your Delfin vacuum cleaner.





## INDUSTRIAL ACCESSORY KIT FOR GENERAL CLEANING

Versatile accessory for general cleaning of liquid and dust applications.

- Vacuum connector
- 3mt hose with hose cuffs
- Double bend
- Wheeled brush for dry - Wheeled squeegee for liquids
- PVC brush
- Flat nozzle



Code	Vacuum ø	Kit ø	Use	
TA.0431.0000	50	40	Dry	
TA.0426.0000	80	40		
TA.0182.0000	80	50		
TA.0425.0000	80	40	Solids-Wet	
TA.0181.0000	80	50		
TA.0183.0000	80	70		



## INDUSTRIAL ANTISTATIC ACCESSORY KIT

Essential and versatile accessory kit for general cleaning of Wet and Dry applications.

- Vacuum connector
- 3mt antistatic hose with hose cuffs
- Double bend
- Brush for dry - Squeegee for liquids with stainless steel casters
- Cone nozzle



Code	Vacuum ø	Kit ø	Use	
TA.0230.0000	50	40	Dry	
TA.0229.0000	80	40		
TA.0201.0000	80	50		
TA.0203.0000	80	70		
TA.0371.0000	50	40	Solids-Wet	
TA.0271.0000	80	40		
TA.0396.0000	80	50		



## ANTISTATIC STAINLESS STEEL ACCESSORY KIT

Stainless steel, antistatic, food- grade silicone accessory kit, FDA certified, with cone nozzle for precision cleaning and double bend for floor cleaning.

- Vacuum connector
- 3mt antistatic hose with hose cuffs
- Double bend stainless steel
- Brush for dry - Squeegee for liquids with stainless steel casters
- Cone nozzle with stainless steel connection



Code	Vacuum ø	Kit ø	Use	
TA.0357.0000	50	40	Dry	
TA.0199.0000	80	40		
TA.0200.0000	80	50		
TA.0398.0000	50	40	Solids-Wet	
TA.0397.0000	80	50		




### OIL AND SWARF ACCESSORY KIT

Useful accessory kit for vacuuming up oil and swarf, suitable for cleaning machinery working with metalworking lubricants and oils.

- Vacuum reduction
- 3mt antistatic hose with hose cuffs
- Steel bend connection
- Brush for dry - Squeegee for liquids with stainless steel casters
- Cone nozzle
- Aluminium lance



Code	Vacuum ø	Kit ø	Use
TA.0370.0000	80	40	Oil and swarf 
TA.0188.0000	80	50	
TA.1058.0000	50	50	



### OIL AND SWARF ACCESSORY KIT

Useful accessory kit for vacuuming up oil and swarf, suitable for cleaning machinery working with metalworking lubricants and oils.

- Vacuum reduction
- 3mt antistatic hose with hose cuffs
- Scraping nozzle mm500
- Cone nozzle
- Flat aluminium nozzle



Code	Vacuum ø	Kit ø	Use
TA.0189.0000	80	70	Oil and swarf 



### TECNOIL OIL AND SWARF ACCESSORY KIT

Useful accessory kit for vacuuming oils and swarf featuring 2.5 mm thick insulating chloroprene rubber hose with steel spiral offering high resistance to abrasion.

- Vacuum connection
- 4mt oil-proof hose with cuffs
- Double bend
- Steel bend and straight connection
- Brush for dry - Squeegee for liquids with stainless steel casters
- Cone nozzle
- Aluminium lance



Code	Vacuum ø	ø kit	Use
TA.1069.0000	50	50	Oil and swarf 




### OVERHEAD CLEANING ACCESSORY KIT

Accessory kit composed of several extensions to reach the most distant and highest points.

- Vacuum rubber reduction
- 3 or 1 extensions (depending on kit code)
- Steel bend curved connection
- 3 straight connections
- Antistatic wall brush
- Round precision brush



Code	Vacuum ø	ø kit	Use
TA.0951.0000	50	40	Dry 
TA.0952.0000	50	50	



### OVEN CLEANING ACCESSORY KIT



Accessory kit designed for oven cleaning and vacuuming high heat substances, resistant up to 250°, with three extensions for vacuuming up to 3m distance.

- Vacuum reduction ø50/80
- 2,5mt stainless steel hose with hose cuff
- Squeegee for ovens
- 1mt Extension with protection
- 1mt Extension with partial protection
- 1mt Extension without protection



Code	vacuum ø	Kit ø	Notes	Use
TA.1048.0000	50	40	With squeegee	Hot dust and solids
TA.1050.0000	80	40		
TA.1186.0000	80	40	With stainless steel squeegee	




### ACCESSORY KITS FOR THE FOOD AND PHARMACEUTICAL INDUSTRIES

Stainless steel, antistatic, food-grade silicone accessory kit, FDA certified, with cone nozzle for precision cleaning and double bend for floor cleaning.

- Stainless steel vacuum connection
- 3mt antistatic hose with hose cuffs
- Stainless steel double bend
- Wheeled floor brush with stainless steel casters
- Silicone cone nozzle



Code	vacuum ø	Kit ø	Use
TA.0400.0000	50	40	Dry and Wet
TA.0402.0000	50	50	
TA.0404.0000	80	40	
TA.0406.0000	80	50	



### CLEANROOM ACCESSORY KIT

Stainless steel accessory kit, autoclavable, suitable for use in cleanrooms. Food grade silicone accessories, with cone nozzle for precision cleaning and double bend for floor cleaning.

- Stainless steel vacuum connection
- 3mt autoclavable hose with hose cuffs
- Stainless steel double bend
- Wheeled brush with stainless steel casters
- Silicone cone nozzle with connection



Code	vacuum ø	Kit ø	Use
TA.0535.0000	40	40	Dry and Wet





[illegible]

[illegible]





Delfin is a global leader in the manufacturing of industrial vacuum equipment, ranging from portable vacuums for industrial cleaning, to central vacuum systems and engineered solutions, to pneumatic conveying systems. Our mission is to create value by designing innovative solutions that improve efficiency, safety, and productivity. Our aim is to use our expertise to help our customers to achieve their goals.



Delfin Srl • Strada della Merla 49/A • 10036 Settimo T.se (To) Italia  
Tel +39 011 800 55 00  
[delfin@delfinvacuums.it](mailto:delfin@delfinvacuums.it) • [delfinvacuums.com](http://delfinvacuums.com)